

---

# Index

Excerpt from *Creating Motion Graphics with After Effects, 4th Edition*.  
Copyright © 2008 Trish and Chris Meyer.  
No part of this publication may be reproduced or distributed in any form or by any means.  
Focal Press, ISBN: 978-0-240-81010-2

**Note: BC = Bonus Chapter on DVD-ROM**

## Numerics

- 16-bit-per-channel mode, BC22B
- 16:9 images, 623–25
- 23.976 fps frame rate, 603, 614
- 29.97 fps frame rate, 603, 614
- 2D viewport, 223
- 2d3. *See Third-Party sidebar*
- 32-bit floating point mode, 414–15
- 3:2 pulldown, 615–16
- 3D axes, 224, 225
- 3D Channel Effects, BC38B
- 3D intersections, 231
- 3D Layer switch. *See also* Per-character 3D  
56, 113, 231, 235, 345
- 3ds Max. *See* Autodesk 3ds Max
- 3D space. *See also* OpenGL
  - anchor points, 219
  - collapsed, 324–26
  - expressions and, BC35B
  - motion in, 215–17
  - offsets, 219
  - perspective, 216
  - rotation in, 56, 217–18
  - text in, 342–45
- 3D views
  - 3D Reference Axes, 226
  - Active Camera, 220, 222–23, 239
  - camera views, 238–39
  - default, 220
  - multiple, 222–23
  - navigation tools, 221
  - orthographic, 220–21
  - returning to previous, 227
  - shortcuts, 221
  - switching between, 221
- 4:3 images, 623–25

## A

- Accelerate Effects Using preference, 666
- Accepts Lights option, 267
- Accepts Shadows parameter, 271
- action safe areas, 28, 622
- Active Camera, 220, 222–23, 239
- Adaptive Motion Blur, 126
- Adaptive Resolution, 35, 361, 666
- Add mode, 141, 167
- adjustment layers
  - 3D layer switch and, 235, 373
  - adjustment lights, 280
  - alpha channels, 372
  - animating, 372
  - applying effects to, 371
  - applying masks to, 372
  - areas affected, 371–72
  - blending modes and, 372
  - Collapse Transformations and, 322
  - creating, 370
  - defined, 370
  - multiple, 371
  - switch, 113
  - track mattes and, 197
- Adjustment Lights, 113, 280–81
- Adobe Device Central, 655
- Adobe Media Encoder (AME), 640
- Alias Maya. *See* Autodesk Maya
- Align & Distribute panel, 109, 111
- All Fills Over All Strokes option, 349
- All Strokes Over All Fills option, 349
- Alpha Add mode, 144, 213
- alpha channels
  - from 3D renders, BC38B
  - adjustment layers, 372
  - contrast, 191
  - edited images, 110
  - importing with, 574–75
  - interpreting, 585, 606
  - inverted, 190, 589
  - output, 641
  - QuickTime movie, 184
  - repairing, 530–31
  - show, 32–33
  - straight versus premultiplied, 575, 642
  - unlabeled, 574
- Alpha Mattes. *See* track mattes
- Always Preview This View button, 21, 40
- Ambient parameter, 267
- anamorphic widescreen video, 618–20
- anchor points
  - in 3D, 60, 219
  - animating, 62–63
  - centering, 62
  - default position, 58
  - defined, 58, 219
  - examples, 60–61
  - moving, 58–60
  - offsetting, 61
  - origin versus, 286
  - resetting, 59
  - uses for, 61, 62–63
- Anchor Point tool. *See* Pan Behind tool
- Andersson Technologies.
  - See Third-Party sidebar*
- Angle of View, 237–38, 240–42, 599
- Ambient lights, 265
- animation. *See also* Animation Presets;  
expressions; keyframes
  - 3D, 214–35, 250–53
  - anchor points, 58–61
  - anthropomorphic, 288
  - automatic, 65, 400, BC35B
  - character, 288, 532
  - circular, 61, BC35B
  - constraining, BC35B
  - delayed, BC35B
  - echoed, 131, BC35B
  - effect point, 365–66
  - frame rates for, 614
  - lighting, 143, 274
  - masks, 119, 161–65
  - mattes, 195
  - motion control, 300
  - motion path, editing, 45–47
  - parent/child-based, 195–97, 532
  - position, 44–45, 79
  - with puppeting, 532–41
  - random, 96, 350, 528, 570, BC35B
  - rotation, 55
  - scale, 52–53
  - text (*see* text; text animators)

## Animation Presets

- applying to layers, 392–93
  - Behaviors, 400
  - creating, 390–91
  - defined, 390
  - deleting/moving/renaming, 393
  - download more, 398
  - effects and, 394–95
  - expressions in, 397, 565, BC35B
  - factory-supplied, 396–400
  - masks in, 394
  - saving, 391, 392
  - scaling, 395
  - searching, 392, 396
  - shapes, 481
  - styles versus, 390
  - text, 398–99
- Animators. *See* Text Animators
- anthropomorphic animation, 288
- antialiasing
- Collapse Transformations, 316
  - Quality, 25
  - subpixel positioning and, 67
- Aperture setting, 243–44
- Application Window
- resizing, 4
  - structure of, 4
- arrays (in expressions), 561, 563, BC35B
- artifacts
- from adjacent colors, 420, 626
  - “comb teeth,” 612–13
  - composite dot crawl, 420, 626
  - compression, 617
- aspect ratios. *See* image aspect ratios; pixel aspect ratios
- ATSC high-definition video standard, 614
- audio
- block size (duration), 644, 668
  - clipping, 548, 550
  - converting into keyframes, 555
  - decibels, 548
  - digitizing, 543
  - dual mono, 549
  - editing levels, 546–48
  - effects. *See* Bonus Chapter 34B, *Adobe Effects sidebar*
  - EQ pointers, BC34B
  - fades, 551
  - hardware preferences, 670
  - importing, 577–78
  - Levels parameter, 546–550
  - marking hit points, 545–46

## audio (*continued*)

- mixing, 549–51
  - mixing sample rates, 544
  - output mapping, 670
  - previewing, 40–41, 547, 666
  - quantization distortion, 544
  - rendering, 643–44
  - sample rate, 543–44
  - saving with video, 643
  - seeing, 542–44
  - segmenting movies and, 667
  - spotting, 545–46
  - switch, 112
  - time remapping, 438
  - trimming, 551
  - turning on/off, 112
  - viewing levels, 546, 548
  - waveforms, 544
- Audio Options dialog, 548
- Audio panel, 546
- Audio Preview setting, 666
- Auto Bezier keyframes, 46, 69
- Autodesk 3ds Max, 598, BC38B
- Autodesk Maya, 598, 599, 603, 607
- Automatic Duck. *See* *Third-Party sidebar*
- Auto-Orient Rotation
- in 3D, 229, 249, BC35B
  - camera, 248–49
  - expression (lookAt), BC35B
  - light, 261
  - using, 95
- Auto-Save, 670
- Autoscroll behaviors, 400
- Auto-Select Graph Type, 76
- Auto-trace, 172
- Auto-Zoom Graph Height switch, 72
- Auto-zoom When Resolution Changes
- preference, 666
- A/V features column, 112
- Avid systems, importing from, 595
- axis arrows, 216, 224, 225
- Axis Modes, 225

## B

- backgrounds
- 2D in 3D comps, 222–23
  - applying keyed foregrounds over, 430, 432–433
  - checkerboard, 33
  - color, 33
  - mattes with, 188–89
- backups, 649
- backward playback. *See* Time Remapping
- bar graphs, BC35B
- Behaviors, 400
- Bezier keyframes, 46
- Bezier masking, 158–59, 161
- Binary (Color) Key, 424
- black solids, 374–75
- Blend Colors Using 1.0 Gamma, 412–13
- blending modes
- in 3D, 234
  - adjustment layers and, 372
  - Collapse Transformations, 321
  - compositing process, 134–35, 140
  - darkening, 139–40
  - defined, 134, 135, 137–38
  - lightening, 141–42
  - lighting effects, 143–46
  - math behind, 140
  - opacity and, 137, 144
  - overview, 138
  - in paint strokes, 505
  - property-replacing, 148–49
  - selecting, 136
  - in shape layers, 485
  - subtraction, 147
  - switches, 136
  - in text layers, 349
  - tooggling through, 134
- Blend With Original parameter, 369
- bluescreen. *See also* keying
- backgrounds for, 432
  - keying, 422–33
  - materials for, 426
  - web resources, 429
- blurs. *See also* motion blur; *Adobe Effects and Third-Party sidebars*
- comparison, BC22B
  - edge, 433
  - matte hierarchy, 203
  - selective, 382
  - variable, 382
- Boris FX. *See* *Third-Party sidebar*
- bounding boxes, 72, 154
- Brainstorm, 379, 401–3, 499
- Bridge (Adobe)
- accessing, 8
  - Application Window, 9
  - functions, 8
  - importing files, 9
  - navigation, 396

broadcast safe colors, 420–21, 625  
Browse Presets using, 396  
Brush Tips panel, 501, 511  
Brush tool, 501  
Buffer Size preference, 670

## C

camera icon, 108  
camera raw format, 415  
cameras  
    Active Camera, 220, 222–23, 239  
    adding to comps, 237–39  
    Aperture setting, 243–44  
    appearance options, 247  
    auto-orientation, 248–49  
    basics of, 236–37  
    data translation, 599  
    default, 214, 238, 242, 245  
    flipping over, 252  
    focusing, 243–44  
    F-stop, 243  
    importing data, 251  
    moving, 598–99  
    multiple per comp, 236  
    one-point, 248  
    parenting, 253  
    pointing, 245–48  
    Point of Interest parameter, 245–47  
    Position parameter, 245–47  
    presets, 238–39, 242  
    rack focus, 244  
    real film/lenses relation, 240  
    settings, 240–44  
    stacking order, 238  
    two-point, 245–47  
    View Options, 247  
    Zoom parameter, 241  
Caps-Lock to disable rendering, 28  
Casts Shadows option, 270, 271, 274–75  
CC effects. *See Third-Party sidebar*  
Center Text, 336  
Channel Lighting, 609  
channels. *See alpha channels*  
Channel switches, 32–33  
Chapter comments, 107  
character animation. *See Parenting, Puppet Tools*  
Character panel, 331  
Cinema 4D (Maxon), 597, 604–11  
Cineon format, 418–19  
Classic Color Burn mode, 140

Classic Color Dodge mode, 143  
Classic Difference mode, 147  
Clip Notes, 656–57  
clipping (audio), 548, 550  
Clone Presets, 515  
Clone Source Overlay, 516–17  
Clone Stamp tool, 514–15  
CMYK color mode, 580  
codecs  
    identifying, 589  
    missing, 576  
    preferred, 576  
Collapse Transformations, 662  
    3D layers, 324–26  
    adjustment layers, 322  
    benefits, 316–17  
    blending modes, 321  
    effects and, 319  
    masks, 318–19  
    Motion Blur and, 321  
    nesting compositions, 320  
    pasteboard, crop to, 320  
    Quality and, 321  
    recursively, 323  
    rendering order changes, 318–19  
    staggered fades, 322  
    stencils, 323  
    switch, 113, 316, 326  
Collect Files, 649–50, 652  
Color (Binary) Key, 424  
Color Burn mode, 140  
color correction, 430, BC22B  
Color Depth, 634  
Color Dodge mode, 142–43  
color keying, 425–26, 530–31, BC26B  
color management. *See also* 32-bit  
    floating point mode  
    benefits, 404  
    bit depth, 413, 414–15  
    broadcast safe colors, 420–21  
    Cineon Settings, 418  
    disabling, 410  
    display management, 409  
    enabling, 405  
    gamma, 411, 412–13  
    input profiles, 406–8  
    Interpret Footage dialog, 406–7  
    linear blending, 412–13  
    luminance range issues, 410–11  
    Match Legacy Gamma, 411  
    Output Module settings, 408  
    output profiles, 408

color management (*continued*)  
    output simulation, 409  
    overview, 404  
    Project Working Space, 404, 405  
    still images, 407  
    video, 407–8  
Color mode, 148–49  
Color Picker, 32, 362  
color profiles  
    changing, 411  
    Color Profile Converter, BC22B  
    defined, 404  
    digital photographs, 407  
    ICC specification, 405  
    selecting, 405  
colors  
    artifacts from adjacent, 420, 626  
    background when nested, 33  
    broadcast safe, 420–21, 625  
    of motion paths, 45  
    sampling (expression), BC35B  
    selecting, 32  
    of Solids, 23, 374  
    source label, 111  
    user interface, 11, 669  
color space, YUV versus RGB, 625  
color swatches, 362  
“comb teeth” artifact, 612–13  
comments  
    in Clip Notes, 656–57  
    for footage, 105  
    for markers, 107  
Comp Flowchart View, 16, 201, 299  
composite dot crawl, 420, 626  
Composite Paint modes, 527  
compositions  
    3D, default view, 220  
    alternate views of, 222  
    Anchor selector, 15  
    aspect ratio, 15  
    closing, 20  
    creating, 14–16, 21  
    defined, 2, 14  
    duplicating, 104  
    finding, 9  
    footage, adding, 18  
    frame rates, 15, 30  
    frame sizes, 15  
    go to beginning/end, 26  
    grids, 29  
    guides, 29  
    layers, adding, 18

- compositions (*continued*)
    - “live” nature of, 3
    - multiple, 20
    - multiple sources for, 21
    - multiple views of, 222–23
    - naming, 303
    - navigating in space, 22
    - navigating in time, 26
    - navigating large, 300
    - nesting (*see* nesting compositions)
    - new, 14–16, 21
    - New Composition from Selection dialog, 21
    - precomposing (*see* precomposing)
    - previewing, 34–41
    - remapping, 445–47
    - renaming, 104
    - rendering to movies, 630
    - render order, 134–35, 230–31, 304–7
    - resizing, 24
    - resolution, 15, 24
    - rulers, 29
    - safe areas, 28
    - saving, 20
    - settings, 15
    - size, 15, 16
    - sources, adding, 18, 21
    - start offset, 31
    - Synchronize Time, 199
    - tabs indicating, 20
    - views, new, 222–23
  - compound effects
    - 3D Layer switch, 235
    - defined, 380–82
    - troubleshooting, 388
  - Comp panel
    - 3D views in, 220–21
    - creating additional, 222
    - disabling rendering in, 28
    - introduced, 3, 16
    - locking, 21
    - masking in, 151
    - multiple, 222–23
    - split-screen, 21, 152
    - transforming shapes in, 484
    - updates, disabling, 629, 634
    - video previews, 41
    - zooming in, 22
  - comp proxy
    - defined, 659
    - looping, 660
  - compression artifacts, 423, 617
  - comps. *See* compositions
  - computer monitors, video monitors
    - versus, 625
  - concatenation, 319
  - Conformed Media Cache preference, 669
  - Consolidate All Footage, 584, 648
  - Continuously Bezier keyframes, 46
  - Continuously Rasterize switch, 23
  - Continuous Rasterization, 327–29
  - Convert Audio to Keyframes, 555
  - Convert to Point Text option, 334
  - corner pinning, 474, BC22B
  - correspondence points, BC22B
  - cracked surface effect, 388
  - CRAW images, 415
  - Create a New Composition button, 21
  - Create Layers at Composition Start Time preference, 664–65
  - Create New Layers at Best Quality preference, 665
  - Create Outlines, 356, 492
  - Create Split Layers Above Original Layer preference, 665
  - cropping (compositions)
    - to current comp size, 320
    - in output module, 643
    - trim to work area, 121
  - crossfades
    - automatic, 120–21, BC35B
    - problems with, 50
  - Custom Output Simulation, 409
  - Cycle Mask Colors option, 172, 173, 669
  - Cycore. *See* Third-Party sidebar
- D**
- D1/DV conversion, 621
  - D1 footage, 423, 616, 617–18, 620
  - Dancing Dissolve mode, 144
  - Darken mode, 139, 169
  - decibels, 548
  - Default Device preference, 670
  - Default Drag Import As preference, 667
  - Default Spatial Interpolation to Linear preference, 665
  - Deform Puppet Pins, 533, 534
  - depth of field, 228, 237, 243–44, BC38B
  - Device Central (Adobe), 655
  - difference matting, 147
  - Difference mode, 147, 167
  - Diffuse parameter, 268
  - Digital Anarchy. *See* Third-Party sidebar
  - Digital Film Tools. *See* Third-Party sidebar
  - dimensions, in expressions, 561–62, BC35B
  - direct video output cards, 627
  - Disable Thumbnails in Project Panel preference, 666
  - disk caching, 39, 633
  - displacement maps, 386–89
  - display preferences, 666–67
  - distance, measuring, BC35B
  - distortion clipping, 548, 550
  - distributed rendering. *See* network rendering
  - dot crawl, 420, 626
  - dpi (dots per inch), 9
  - Draft 3D switch, 228, 267
  - drift removal. *See* Motion Stabilization
  - drop-frame timecode, 31, 614
  - DV/D1 conversion, 621
  - DV footage, 423, 616, 617–18, 620
  - dvGarage. *See* Third-Party sidebar
  - Dynamic Link, 596
  - Dynamic Resolution. *See* Adaptive Resolution
- E**
- Ease High/Low parameters, 347
  - Easy Ease keyframe assistant, 68
  - Echo effect, 130–31
  - edges
    - blurs for, 433
    - compression artifacts, 617
    - keyed object, 431–33
    - problems, 144, 213
    - softness in, 156
    - tom edge matte, 188, 201–2
  - Edit Original, 110
  - Effect Controls panel, 89, 359, 395
  - Effect Favorites. *See* Animation Presets
  - effect points, 363, 365–66, 470
  - effects. *For individual effects, see also*
    - Adobe Effects and Third-Party sidebars*
  - accessing, 379
  - animation and, 365–66
  - Animation Presets and, 394–95
  - applying, 358–59
  - applying to black solids, 374–75
  - color swatches, 362
  - compound, 380–89
  - Continuous Rasterization and, 328

## Adobe Effects

- 3D Channel Extract, BC38B
- Add Grain, BC22B
- Advanced Lightning, BC22B
- Alpha Levels, BC22B
- Angle Control, 565, BC35B
- Audio Spectrum, 368, BC22B
- Audio Waveform, BC22B
- Auto Color, BC22B
- Auto Contrast, BC22B
- Auto Levels, BC22B
- Bass & Treble, BC34B
- Bevel Alpha, BC22B
- Bezier Warp, BC22B
- Blend, BC22B
- Block Dissolve, BC22B
- Box Blur, BC22B
- Broadcast Colors, 420
- Calculations, 193, BC22B
- Card Dance, BC22B
- Card Wipe, BC22B
- Caustics, BC22B
- CC effects. *See Third-Party sidebar*
- Change Color, BC22B
- Change to Color, BC22B
- Channel Blur, 432
- Channel Combiner, BC22B
- Channel Mixer, 430, BC22B
- Checkbox Control, BC35B
- Cineon Converter, 419
- Colorama, BC22B, BC38B
- Color Balance, BC22B
- Color Balance (HLS), BC22B
- Color Control, 566, BC35B
- Color Difference Key, 425, BC26B
- Color Key, 424
- Color Profile Converter, BC22B
- Color Range Key, 425–26
- Color Stabilizer, BC22B
- Compound Blur, 382, BC22B, BC38B
- Corner Pin, BC22B
- Curves, BC22B, BC38B
- Delay, BC34B
- Depth Matte, BC38B
- Depth of Field, BC38B
- Difference Matte, 426
- Directional Blur, BC22B
- Drop Shadow, 297, BC22B, BC35B
- Dust & Scratches, BC22B
- Echo, 130–31
- Exposure, 417
- Expression Controls, 564–67
- Extract, 426
- Eyedropper Fill, BC22B
- Fast Blur, BC22B
- Fill, BC22B, BC35B
- Flange & Chorus, BC34B
- Foam, BC22B
- Fog 3D, BC38B
- Fractal Noise, 403, BC22B
- Gaussian Blur, 370, BC22B
- Glow, BC22B
- Gradient Wipe, BC22B, BC22C
- Grow Bounds, 329, BC22B
- HDR Highlight Compression, 416, 419
- High-Low Pass, BC34B
- Hue/Saturation, 421, 431, BC22B, BC38B
- ID Matte, BC38B
- Inner Outer Key, 426
- Layer Control, BC35B
- Leave Color, BC22B
- Lens Blur, 382, BC22B, BC22C, BC38B
- Lens Flare, 363, 365–66, 374–75
- Levels, 191, 193, 194, BC22B, BC38B
- Levels (Individual Controls), BC22B
- Lightning, BC22B, BC35B
- Linear Color Key, 425
- Liquify, BC22B
- Luma Key, 424
- Match Grain, BC22B
- Matte Choker, 431, BC22C
- Median, BC22B
- Mesh Warp, BC22B
- Minimax, 395, BC38B
- Modulator, BC34B
- Mosaic, BC22B
- Motion Tile, BC22B
- Noise, BC22B
- Noise Alpha, BC22B
- Noise HLS, BC22B
- Noise HLS Auto, BC22B
- Numbers, 302, BC22B, BC35B
- Offset, BC22B
- Optics Compensation, BC22B
- Paint, 500–521
- Parametric EQ, BC34B
- Particle Playground, BC22C
- Photo Filter, BC22B
- Point Control, BC35B
- Polar Coordinates, BC22B
- Puppet, 532–41
- Radial Blur, BC22B
- Radial Shadow, BC22B
- Radio Waves, BC22B
- Ramp, BC22B, BC22C
- Remove Color Matting, 204
- Remove Grain, BC22B
- Reshape, BC22B
- Reverb, BC34B
- Ripple, BC22B
- Roughen Edges, BC22B
- Scribble, BC22B
- Set Channels, BC22B
- Set Matte, 193, 194, BC22B
- Shadow/Highlight, BC22B
- Sharpen, BC22B
- Shatter, 240, BC22B, BC35B
- Shift Channels, 193, BC38B
- Simple Choker, 204, 431, BC22B, BC22C, BC38B
- Slider Control, 565, BC35B
- Smart Blur, BC22B
- Stereo Mixer, 549–51
- Stroke, 367, 368, 375, BC22B
- Texturize, 382–85
- Timewarp, 452
- Tint, BC22B
- Tone, BC34B
- Transform, 306, 307, 373, 565, BC22B
- Tritone, 362, 403, BC22B
- Turbulent Displace, BC22B
- Unsharp Mask, BC22B
- Vector Paint, 500, 522–31
- Vegas, BC22B, BC35B
- Warp, BC22B
- Wave Warp, BC22B
- Wave World, BC22B
- Write-on, BC22B

- effects (*continued*)
    - copying, 367
    - custom interfaces, 364
    - deleting, 359
    - duplicating, 367
    - echoed, 130–31
    - editing, 359, 361–63
    - keyframe settings, 365
    - keying, 424–29
    - masks and, 176
    - master effects checkbox, 358
    - missing, 364
    - Options dialogs, 364
    - Paint and, 502, 513
    - pasting, 367
    - point animation, 365–66
    - popups, 363
    - processing order, 361
    - renaming, 374
    - render settings for, 368–69
    - rotary dials, 362
    - searching for, 360
    - shape (*see* shape layers)
    - Show Effects option, 299
    - sliders, 361
    - stacking, 361
    - stencils, applied to, 209
    - switch, 113
    - third-party (*see also Third-Party sidebar*), 379
  - Effects & Presets panel, 359–60
  - Effects switch, 113
  - EIZ file format, BC38B
  - Electric Image, 601, 602, BC38B
  - embossing, 382–85
  - Enable JavaScript Debugger preference, 665
  - Enable Motion Blur button, 113
  - Enable OpenGL switch, 666
  - Encore (Adobe), 593, 596
  - EPS files, 582–83
  - Eraser tool, 506–9
  - Exclusion mode, 147
  - explosions, compositing, 424
  - Exponential Scale keyframe assistant, 100–101, 329, 447
  - exporting
    - files, 646
    - GIF files, 591
    - SWF files, 592
  - exposure, altering, 416–17
  - Expression Controls, 564–67
  - Expression Pick Whip Writes Compact
    - English preference, 665
  - expressions
    - absolute value in, BC35B
    - in Animation Presets, 397
    - array math, 563
    - broken, 554–55
    - color manipulations within, BC35B
    - comments in, 569
    - conditional statements, BC35B
    - controlling, 564–66
    - creating, 556–57
    - defined, 553
    - degrees-radians conversions, BC35B
    - deleting, 554
    - disabling, 554, 555
    - enabling, 553–54
    - end-of-line punctuation, 568–69
    - error dialogs, 555
    - exposing, 552
    - in Graph Editor, 70, BC35B
    - hiding, 554
    - interpolation, 559, BC35B
    - language menu, 569, BC35B
    - layer space transform methods, BC35B
    - length methods, BC35B
    - linking dissimilar properties, 558–60
    - linking properties with different dimensions, 561–62, BC35B
    - linking effects and transformations, 559–60
    - looping, BC35B
    - math symbols used in, 557, BC35B
    - measuring distances with, BC35B
    - multiline, 567–69, BC35B
    - naming conventions for, 568
    - as offsets, 558
    - revealing, 552, 554
    - rounding numbers, BC35B
    - saving, as Animation Presets, 565
    - Show Expression Editor in Graph Editor, 70, 566, BC35B
    - text manipulation with, 333, BC35B
    - triggered, by markers, BC35B
    - trigonometric functions in, BC35B
    - user interfaces for, 565–66
    - variables in, 567–69, BC35B
    - vector math, BC35B
    - wiggle, 570–71, BC35B
  - Expression Selector (for text), 357
  - eyeball icon, 112
- F**
- Fade Out Over Layer Below behavior, 400
  - fades. *See also* crossfades
    - adjustment layers and, 322
    - audio, 551
    - expressions and, BC35B
    - flickering, 205–6
    - layer group, 50, 322
    - Mask Opacity for, 157
    - matte, 205–6
    - multiple layers at once, 322, 373
    - opacity, 413
    - Opacity keyframes for, 303, 322–23
    - staggered, 322
    - text, 338
    - text presets, 398
  - Fade Up Characters preset, 398
  - Fast Previews button, 34
  - field flicker, 613–14
  - field order, 612, 643
  - fields. *See also* field order
    - defined, 612
    - interlaced, 612
    - interpreting, 586
    - masking on, 164
    - render, 635
    - stretched, 642
  - File Name Templates, 631, 653
  - files
    - forcing type, 577
    - importing layered, 580–582
    - importing multiple, 573
    - missing, 573, 631
  - Fill Options, 479
  - fill over stroke, 485
  - film
    - Cineon format, 418–19
    - frame rates, 615
    - glow simulation, 142
  - Film Size parameter, 240
  - Final Cut Pro (Apple), importing from, 595
  - find source in Project panel, 109
  - fire, compositing, 424
  - First Vertex Point, 164
  - Flash, 591–92. *See also* SWF files
  - Flash Video Cue Point and Parameters, 107
  - Flash Video (FLV) format, 592, 640
  - floating point. *See* 32-bit floating point
  - flowchart view, 6, 16, 201, 299
  - FLV export capability, 592

## Third-Party Products

### *2d3*

Boujou, 454, 476

### *Andersson Technologies*

SynthEyes, 454

### *Apple*

Final Cut Pro, 595

Motion, 595

### *Autodesk*

3ds Max, 598, BC38B

Maya, 598, 599, 603, 607

### *Automatic Duck*

Pro Import AE, 124, 595

### *Avid*

various, 595

### *Boris FX*

BCC Alpha Process, 205

BCC Optical Flow, 132

BCC Posterize Time, 132

BCC Sequencer, 132

BCC Temporal Blur, 132

BCC Trails, 132

BCC Velocity Remap, 132

### *Cycore*

CC Ball Action, BC22B

CC Bender, BC22B

CC Bend It, BC22B

CC Bubbles, BC22B

CC Composite, 369, BC22B

CC Cylinder, BC22B

CC Flo Motion, 401

CC Force Motion Blur, 132–33

CC Glass Wipe, BC22B

CC Grid Wipe, BC22B

CC Image Wipe, BC22B

CC Kaleida, BC22B

CC Lens, BC22B

CC Light Burst, BC22B

CC Light Rays, BC22B

CC Light Sweep, BC22B

CC Light Wipe, BC22B

CC Particle Systems II, BC22B

CC Particle World, BC22B

CC Pixel Polly, BC22B

CC Power Pin, BC22B

CC PS Classic, BC22B

CC PS LE Classic, BC22B

CC Radial Blur, BC22B

CC Radial Fast Blur, BC22B

CC Radial Scale Wipe, BC22B

CC RepeTile, BC22B

CC Ripple Pulse, BC22B

CC Scale Wipe, BC22B

CC Sphere, BC22B

CC Split, BC22B

CC Split 2, BC22B

CC Spotlight, 276, BC22B

CC Tiler, BC22B

CC Time Blend, 133, 453

CC Time Blend FX, 133

CC Toner, BC22B

CC Twister, BC22B

CC Vector Blur, BC22B

CC Wide Time, 132–33, 453

CycoreFX HD, BC22B

### *Digital Anarchy*

3D Assistants, 232

Designer Blur, BC22B

ToonIt!, BC22B

### *Digital Film Tools (DFT)*

Composite Suite, 278, 433

Light!, 278

### *dvGarage*

Composite Toolkit, 429

dvMatte, 423, 429

### *The Foundry*

Furnace, 452

Keylight, 427–29

Kronos, 452

### *GridIron Software*

Nucleo Pro, 652

### *Imagineer Systems*

mocha, 454

motor, 173

### *Maxon*

Cinema 4D, 597, 604–11

### *NewTek*

LightWave, 599, BC38B

### *REALVIZ*

MatchMover, 476

### *Red Giant Software*

Key Correct Pro, 433

Knoll Light Factory, BC22B

True Camera Blur, BC22B

### *RE:Vision Effects*

RE:Flex, BC22B

ReelSmart Motion Blur, 132

SmoothKit, 423, BC22B, BC38B

Twixtor, 132

### *Silhouette FX*

SilhouetteRoto, 173, 454

### *Softimage*

XSI, 599, 602, BC38B

### *Synthetic Aperture*

Color Finesse, 625

EchoFire, 627

### *Toolfarm.com*

contact info, 379, 690

### *Trapcode*

Form, BC22B

Lux, 274, 379, BC22B

Particular, 379, BC22B

Shine, 379, BC22B

Starglow, 379

### *Ultimatte*

AdvantEdge, 423

### *Zaxwerks*

3D Flag, 379, BC22B

3D Grid Warp, 234

3D Layer Warp, 234

3D Warp, 379

Glintwerks, BC22B

Invigorator, 240, 379, BC35B

Layer Tools, 232

ProAnimator, 379

Reflector, 379

- focus, camera, 243–44
- Focus Distance parameter, 243–44
- fog, 3D, BC38B
- folders
  - importing, 573
  - in Project panel, 6
- fonts, 332
- footage
  - collecting files, 649–50, 652
  - consolidating, 648
  - converting to layered comps, 582
  - defined, 2
  - duplicating, 574
  - Edit Original, 110
  - finding, 9
  - importing, 7, 8, 573–74
  - interpreting, 585–89
  - masking interlaced, 164
  - missing, 2, 573
  - photographs, digital, 407
  - proxy, 659
  - removing unused, 648
  - renaming, 6
  - replacing, 108
  - usage information, 304
- Footage panel, 7
- foreground, separating from background.
  - See keying
- Format Options dialog, 640
- The Foundry. *See Third-Party sidebar*
- Frame Blending
  - applying, 451–52
  - approaches, 453
  - enabling, 113, 444, 451–52
- Frame Mix, 450–51
- Pixel Motion, 450–51
- rendering with, 452
- Render Settings options, 634
- switch, 113
- Timewarp, 452
- tips, 453
- types of, 450
- Frame Mix, 450
- frame rates
  - 3D integration, 607
  - animation, 614
  - common, 15
  - defined, 30
  - high-definition video, 614
  - interpreting, 586
  - manipulating, 434–53
  - motion blur, 128, 129
- frame rates (*continued*)
  - NTSC, 614
  - PAL, 614
  - p and i suffixes, 616
  - pulldown, 635
  - Render Settings, 629, 636
- frames. *See also* fields; frame rates
  - D1, 616
  - DV, 616
  - freeze, 439
  - maximizing, 12
  - rotoscoping, 510
  - sizes (common video), 616
  - time remapping, 448–49
- Free Transform Points, 154–55, 484
- freeze frames, 439
- F-stop, 243
- fx* switch, 358
- G**
- gamma, 411, 412–13
- gels, 276–77
- General preferences, 664–65
- GIF files, 590–91
- glints, 212
- gobos, 277–78
- gradients, 485–87
- Graph Editor
  - Keyframe Velocity dialog, 75
  - multiple values in, 76–78
  - Position graphs, 79–81
  - problems, 82
  - scrolling, 72
  - shortcuts for, 78
  - toggling, 71
  - Tool Tips in, 73
  - Value Graphs, 70–72
  - Velocity Graphs, 74–75
  - viewing and editing keyframes in, 70–72
  - viewing expressions in, 566
- grayscale images
  - conversion, shootout, BC22B
  - imported, 187
  - as mattes, 187
- greenscreen. *See* bluescreen, keying
- grids, 29, 498
- Grid preference, 668
- grouping. *See* nesting compositions; parenting; precomposing; shape layers
- Grouping Alignment control, 349
- Guide Layers, 105, 546
- guides, 29
- Guides preference, 668
- H**
- handles
  - adding (time), 444
  - editing (path), 72–73
  - too long or short, 82
- Hand tool, 22
- Hard Light mode, 145
- Hard Mix mode, 146
- Hardware Accelerate Composition, Layer, and Footage Panels preference, 667
- Help file, 378
- hierarchies
  - creating, 294–96
  - track matte, 198–203
- high-definition video, 614
- Highlight Compression, 416
- highlights, adding, 212
- hold keyframes, 57, 83–84
- Horizontal Type tool, 336
- hot keying, 110
- Hue mode, 148
- I**
- IAR. *See* image aspect ratios
- I-beam icon, 88
- Illustrator
  - Alpha Mattes, 186–87
  - continuous rasterization of files from, 327–29
  - gradient quality, 582–83
  - hot keying to, 110, 582
  - importing files from, 582–83
  - Pathfinder panel, 168
  - paths into masks, 177–78
  - paths into motion paths, 179
  - paths into shapes, 493
  - image aspect ratios, 616
- Image Cache preference, 669
- images. *See also* still images
  - combining (*see* blending modes)
  - high dynamic range (HDR), 414, 416
  - high resolution, 24

Imagineer Systems. *See Third-Party sidebar*

Import File dialog, 572

importing

with alphas, 574–75

audio, 577–78

from Avid systems, 595

camera data, 251, 598–99

defined, 2

EPS files, 582–83

from Final Cut Pro (Apple), 595

footage, 7, 8

GIF files, 590–91

Illustrator files, 582–83

layered file as comp, 580–582

from Motion (Apple), 595

movies, 577

multiple files, 573

PDF files, 582–83

Photoshop files, 580–82

pixel aspect ratio setting, 617

preferences for, 667

from Premiere Pro, 594–95

projects, 3, 584

sequences, 579

still images, 578

SWF files, 591–92

in points, 114–17

“instant sex,” 369, BC22B

integration. *See also* importing

with 3D applications, 597–611

Dynamic Link, 596

with NLE systems, 594–95

overview, 590–96

web, 590–92

interlacing. *See* field order, fields

interpolation

animated mask shapes, 165

expressions, 559, BC35B

hold, 83–84

keyframe, 45–47

spatial, 43

temporal, 43

Interpret Footage dialog,

406, 585–88

Interpret Unlabeled Alpha As

preference, 667

intersections

3D, 231

holes in shapes, 488

Intersect mask mode, 167

## J

JavaScript. *See* expressions, scripting

JavaScript debugger preference, 665

jump parenting, 293

## K

kerning, 332

keyboard shortcuts

3D shadows on/off, 270

3D Views, 221

Active Camera view, 221

Audio Levels in Timeline, 546

Audio panel, 547

camera, adding, 238, 256

Casts Shadows toggle, 270

centering text, 336

Comp and Timeline panels, toggling

between, 16

comps, closing, 20

comps, creating new, 14

comps, multiple, 21

copying, 90

Custom view, 221

deselect all, 89, 391

deselect all keyframes, 89

duplicating queued items, 644

Edit Original, 110

Effect Controls panel, 190

Erase Last Stroke, 507

expressions, revealing, 552

footage, importing, 7

General preferences, 664

Go To Time, 226

for Graph Editor, 71, 78

grid, 29

guides, 29

Help file, 378

Info panel, 116

in/out point, going to, 102, 117

kerning, 332

keyframe navigation, 48

layer, locking, 112

layer, moving, 103

layer, ordering, 103

layer, precomposing, 200

layer, reversing, 436

layer, scrolling to top, 103

layer, selecting, 102

layer, snapping to edges or center, 18

layer, splitting, 122

keyboard shortcuts (*continued*)

layer, stacking order, 103

layer, stretching, 52

layer, trimming, 116

light, adding, 256

list of, 88

masks, creating, 153

masks, editing, 158–60

masks, reveal parameters, 170

mode (blending), 134

modified parameters, displaying,

366, 395

motion path, editing, 46–7

navigating Comp panel, 22

null object creation, 289

Paint and Clone, 501, 510, 515, 521

Pan Behind tool, 174

Parent column toggle, 282

Position dialog, 241

preferences, restoring default, 664

Puppet Pin tool, 533

Quality, 25

Resolution, 24

Rotation property, 54

rulers, 29, 287

safe areas, 28

selecting all, 333

shapes, creating, 482

shapes, editing, 483–84

shapes, grouping selected, 488

snapshot, 109

solid, creating, 23

solo selected, 56

split-screen Comp panel, 152

stopwatch, 44

Switches/Modes toggle, 134

text selection, hiding, 355

time navigation, 26

time stretching, 435

toggling Paint tools, 500

transform properties, 64

Type tool selection, 330

undo, 109

Use System Shortcut Keys, 665

Video Preview toggle, 41

views, 3D, 221

windows, resizing, 4

work area, 28, 121

workspaces, switching between, 13

zooming, 22, 27

---

## Keyframe Assistants

- 3D Assistants (Digital Anarchy), 232
- Convert Audio to Keyframes, 555
- Easy Ease, 68
- Exponential Scale, 100–101, 329, 447
- Motion Sketch, 92–93, 98
- Sequence Layers, 120–21, 447
- Smart Mask Interpolation, 180–83
- The Smoother, 94
- Time-Reverse Keyframes, 99
- The Wiggler, 96–98

## keyframes

- adding, 88
- converting audio amplitude to, 555
- copying, 90
- defined, 3
- deleting, 88, 89
- duplicated, 303
- editing numerically, 49
- hold, 57, 83–84
- icons, 84
- interpolation types, 45–47
- moving, 89, 91
- navigating, 48, 365
- nudging, 89, 91
- pasting, 90
- puppets, 534–35
- reversing layers, 437
- reversing only, 434
- roving, 86–87
- selecting multiple, 88–89
- setting for effects, 365
- slipping, 119
- time-reversing, 99
- time-stretching, 437
- tips, 65, 250

## Keyframe Velocity dialog, 75

## keying

- AdvantEdge, 423
- Binary (Color) Key, 424
- cleaning up the results, 430–33
- Color Difference Key, 425, BC26B
- Color Key, 424
- Color Range Key, 425–26
- Composite Toolkit (dvGarage), 429
- defined, 422
- Difference Matte, 426
- DV footage, 423
- dvMatte, 423, 429
- Extract keyer, 426
- Inner Outer Key, 426
- Keylight, 427–29

## keying (continued)

- Linear Color Key, 425
- Luma Key, 424
- luminance key, 422–23
- techniques used, 422–23
- tips for, 423–24, 426
- web resources, 429

## L

Label Colors preferences, 668

Label Defaults preferences, 668

labels, 111

Layer Bar mode, 78

Layer panel

- disabling rendering in, 28
- masking in, 152
- navigating, 116
- Render checkbox in, 152
- trimming layers, 116
- two timelines in, 445
- unable to be opened, 326
- View menu in, 152

layers. *See also* adjustment layers

- 3D, 217, 292, 325–26
- 3D rotation, 286–87
- adding to comps, 18
- aligning, 109
- Anchor Point, 219
- background, 210–12, 279
- Best Quality, 25
- collapsed, 318–19, 325–26
- color defaults, 111
- continuously rasterized, 327–29
- converting footage to, 104
- copying, 104
- defined, 2–3, 17
- distributing, 109
- Draft Quality, 25
- duplicating, 104
- editing, 114–25, 294
- effects applied, viewing, 190
- flipping horizontally or vertically, 53
- freeze frame, 439
- grouping (*see* nesting compositions; parenting; precomposing)
- Guide Layer, 105
- in/out points, 114–15
- intersecting, 231
- length of, 111
- lighting options, 267–70
- locking, 112

## layers (continued)

- marking audio, 545–46
- matte, 187
- mixing 2D and 3D, 232
- motion blur for, 127
- moving in 3D, 224
- moving in layer stack, 103
- moving in time, 103
- naming, 104, 105
- nesting, 563
- order of, 19, 103
- parenting, 282–93
- pasting, 104
- positioning, 109, 111
- precomposing, 123–24, 200–202, 290
- Quality default, 25, 665
- renaming, 105
- replacing sources, 137
- resizing, 162
- reversing playback, 436–37
- reversing stack order, 103
- rotating, 217–18
- scale (stretch) to fit, 52
- scaling, 287
- selecting, 102
- Sequence Layers, 120–21
- Show Layers option, 299
- Shy, 112
- slip editing, 118–19
- solid, 23
- soloing, 104–5
- source name restoration, 105
- sources, 137
- speed of, 43, 69, 71
- splitting, 122–24
- stabilizing (*see* Motion Stabilization)
- stencils, 208–13
- text layer, default name of, 331
- text layer, renaming, 354
- time remapping, 438–44
- time-stretching, 434–35
- tracking (*see* Motion Tracking)
- trimming, 115–18, 121
- trim work area to selected layers, 121
- Wireframe Quality, 25
- Layer Groups (Sets), in Photoshop, 581
- Layer Styles, 376–77
- Levels of Undo preference, 664
- Lighten mode, 141–42, 169
- lighting. *See also* shadows
  - adding, 258
  - ambient, 256, 265

---

lighting (*continued*)  
angle of, 256–57, 260–61  
back lighting, 274, 277  
books, 280  
color, 266  
Cone Angle, 262–63  
default, 214, 256  
disable, 228  
editing settings, 259–60  
effects, BC22B  
factors affecting, 256–57  
Intensity, 265–66  
layer issues, 280–81  
Material Options, 267–70  
moving lights, 259  
Parallel, 264, 272, 274  
Point, 263–64, 272  
Point of Interest, 259  
rotating, 261  
source, 256  
Spot, 262–63, 272, 274  
types, 256

Light Transmission, 274–75

light wrap, 433

LightWave (NewTek), 599, BC38B

linear blending, 412–13

Linear Burn mode, 139

Linear Dodge mode, 142

Linearize Working Space, 412, 413

Linear keyframes, 47, 68, 80

Linear Light mode, 145–46

lines, creating, 498

Live Update button, 34, 45

Local Axis Mode, 225

Lock Source Time, 516

Lock switch, 112

Lock to Zoom option, 243

looping, 588, 660, BC35B

luminance, 149, 191, 208–11

keying, 422–23

range issues, 410–11

Luminescent Premultiply mode, 144

Luminosity mode, 149

## M

magnification, 22

markers

comments for, 107

comp, 106–7

expressions and, BC35B

layer, 107

masking (masks)

alpha-based, 172

anchor points for, 154

animation of, 119, 161–65

Animation Presets and, 394

applying to adjustment layers, 372

Auto-trace and, 172

basics of, 150–52

Bezier, 158–59, 161

color-coding, 170

in Comp panel, 151

constraining aspect ratio, 154

copying, 170

deleting, 171

deleting mask points, 159, 165

deleting mask shapes, 159

editing, 158–60

editing multiple, 170

effects and, 176

expansion, 156

feathering, 156, 328

First Vertex Point, 164

Free Transform Points, 154

hiding, 171

Illustrator, pasting from, 177, 179

interlaced footage, 164

interpolating between, 180–83

inverting, 166

in Layer panel, 152

keyboard shortcuts, creating, 153

keyboard shortcuts, editing, 159–60

keyboard shortcuts, parameters, 170

locking, 171

mask modes, 167–68

motion blur for, 129, 161, 163

moving entire, 154–55

multiple, 167–71

nested comp issues, 129

nudging, 152

opacity, 157, 169

outline colors of, 669

panning inside, 174–75

pasting, 170, 176, 366–67

as paths, 368

paths, opening/closing, 159

paths for, 176–79

Photoshop, pasting from, 178, 179

points, 158–59, 165

Preserve Frame Rate option, 165

renaming, 170

rendering issues, 165

re-ordering, 170

masking (*continued*)

resetting, 153

resizing, 154, 162

reverse path direction, 183

rotating, 154–55, 164

RotoBezier, 173, 174

rotoscoping tips, 173–74

scaling, 154

selecting multiple, 170

selecting points on, 154, 155

shape shortcuts, 153

shape layers versus, 478, 492

shortcuts, 170

slipping problems, 165

Smart Mask Interpolation, 183–85

stabilized footage, 461

sync with source frames, 165

Target menu, 171

text and, 176

tools for, 150

tracing outlines to create, 172

turning off, 171

velocity and, 162–63

vertex count when editing, 665

Mask Shape dialog, 162

master effects checkbox, 358

Match Legacy Gamma switch, 411

mattes. *See* track mattes

Maximum Memory Usage preference, 669

Maxon Cinema 4D, 597, 604–11

Maya (Autodesk), 598, 599, 603, 607

measurement conversions, 49, 241, BC35B

measuring distance, BC35B

Memory & Cache preferences, 668–69

Mesh Expansion, 539

Mesh Triangles, 539

Metal parameter, 269–70

methods in expressions, 559, 569

Minimum Diskspace Usage Before Overflowing

preference, 667

mobile devices, 655

modes. *See* blending modes

Modes column, 112, 136

monitoring results, 626–27

Motion (Apple), importing from, 595

motion blur

3D, 228, 598

adaptive, 126

applying, 127

in Collapse Transformations, 321

described, 126–27

frame rates, 128, 129

motion blur (*continued*)  
  gamma and, 412  
  on masks, 129, 161, 163  
  Render Settings, 129, 636  
  Shutter Angle, 128  
  Shutter Phase, 128–29  
  switch, 113, 127, 228, 321  
motion control moves, 62–63  
motion paths  
  3D, 226–29  
  appearance preference, 666  
  color of, 45  
  editing, 45–47  
  editing for effect point, 366–67  
  moving, 91  
  nudging, 91  
  scaling, 91  
Motion Path preference, 666  
motion sketching, 535  
Motion Sketch keyframe assistant,  
  92–93, 98  
Motion Stabilization  
  advice on, 463  
  basics of, 454–57  
  masking and, 461  
  options, 457–58  
  setup, 454–59  
Motion Tracking. *See also* Motion  
  Stabilization  
  3D, 476  
  Adapt Feature on Every Frame option,  
    458  
  Affine Corner Pin, 474  
  alternative trackers, 454  
  Attach Points, 466–68  
  defined, 466  
  displaying track keyframes, 466  
  with dots, 475–76  
  effect points, 470  
  Extrapolate Motion option, 458  
  Options dialog, 467  
  Perspective Corner Pin, 474, 476  
  removing/cloning objects, 518–20  
  setup, 454–58  
  Tracking Regions, 455–56, 464–65, 467  
  types of, 469–70  
mouse wheel scrolling, 22  
movies  
  converting sequences to, 654–55  
  importing, 577  
  manipulating frame rates, 434–53  
  rendering, 630

movies (*continued*)  
  saving RAM Previews, 39, 631, 647  
  scaling up, 577  
  segmenting, 667  
  time-stretching, 434–35  
MPEG2 format options, 640  
multipass rendering, 609, 610  
Multiply mode, 139  
multiprocessor rendering, 41, 650, 670

## N

nesting compositions  
  3D, 233, 325  
  automatic nesting, 199  
  basics of, 294–96  
  collapsed, 317–19  
  defined, 3, 294  
  effects editing, 297  
  effects order, 304  
  failure to nest, 302  
  flowchart views, 299  
  motion blur and, 129  
  naming, 303  
  nesting options, 302–3  
  nesting tips, 199, 303  
  opening nested comp, 300  
  opening parent comp, 303  
  pan behind effect using, 307  
  panning oversized comp, 300  
  Pre-compose, 308–11  
  Preserve Frame Rate, 302  
  rendering order, 304–7  
  size of compositions, 300  
  time remapping, 445–47  
  track mattes, 198–203  
  Transform effect and, 306, 307  
  transforming, 295–96, 303  
network rendering  
  basics of, 650  
  failure recovery, 652–53  
  setup for, 650, 651–52  
  tips for, 654, BC22C  
New Composition from Selection dialog, 21  
NewTek LightWave, 599, BC38B  
NLE systems, integration with, 594–95  
non-drop timecode, 31, 614  
non-square pixels, 617–18  
NTSC video. *See also* frame rates  
  comp presets, 15  
  D1 and DV formats, 621  
  real frame rate, 614

Nucleo Pro (GridIron Software), 652  
null objects  
  Anchor Point, 286  
  defined, 289  
  and expressions, 564–66, BC22B  
  grouping with, 290  
  in jump parenting, 293  
  nonuniform scale solution; 291  
  as parent, 196–97  
  renaming, 290  
numbers generation, BC22B, BC35B

## O

objects, removing or duplicating, 518–20  
onion skinning, 512, 531  
opacity. *See also* alpha channels  
  Alpha Add mode, 144, 213  
  blending modes and, 135, 144  
  editing, 50  
  fades, 413  
  keyframes, 303  
  across multiple masks, 169  
  nesting compositions, 303  
  Preserve Underlying Transparency, 211  
  stacked layers and, 50  
OpenGL  
  3D acceleration, 37, 228  
  depth of field and, 243  
  in Mac OS X, 665  
  previewing, 35–37, 214, 228, 243, 246  
  render speed, 633  
  shadows and, 36  
OpenGL Info preference, 666  
Open Parent Composition button, 203,  
  303, 314  
Options menu, location, 13  
Orbit/Track Camera tools, 221, 245, 247,  
  253  
Orientation parameter, 56–7, 217–18, 224  
orthographic views, 220–21  
out points, 114–17, 448  
Output Module Settings, 408, 638–44  
Output preferences, 667–68  
Output Simulation (color), 409  
Overflow Volumes preference, 667  
Overlap tool, 536–37  
Overlay Edit, 124–25  
Overlay mode, 143  
overscan, 622

## P

- padlock icon, 112
- Paint and Clone
  - animating strokes, 508–12
  - blending modes, 505
  - Brush Tips panel, 501, 511
  - Brush tool, 501
  - Channels popup, 504
  - Clone Presets, 515
  - Clone Source Overlay, 516–17
  - Clone Stamp tool, 514–15
  - Custom Duration, 510
  - editing existing strokes, 502–5
  - effects and, 502, 513
  - Eraser tool, 506–9
  - expressions and, 176, 520
  - interpolating strokes, 511–12
  - keyboard shortcuts, 500, 510, 515, 521
  - Mode popup, 505
  - motion tracking with, 518–20
  - Paint on Transparent option, 503
  - Paint panel, 500–501, 504
  - removing/duplicating objects, 518–20
  - rotoscoping, 510
  - Source Time Shift, 517
  - straight line stroke, 521
  - tablets, using with, 511
  - tips for, 521
  - transforming strokes, 504
  - Write On mode, 509
- PAL video, 614. *See also* frame rates
- Pan Behind tool, 59–60, 174–75, 284
- panels. *See also individual panels*
  - closing, 11
  - collapsing, 10
  - maximizing, 12
  - moving, 12
  - opening additional, 5, 13
  - overview, 5
  - rearranging, 10–13
  - re-docking, 12–13
  - resizing, 10
  - workspaces, 13
- panning, 62–63
- PAR. *See* pixel aspect ratios
- Paragraph panel, 334
- Parallel lights, 264
- parenting
  - 3D layer, 292
  - camera, 253
  - character animation, 288
  - parenting (*continued*)
    - child-parent breakups, 283–84
    - defined, 282, 286–87, 294
    - effects exclusion in, 197, 284–85
    - expressions and, BC35B
    - grouping layers with, 563
    - jump parenting, 293
    - nonuniform scale problem, 291
    - pick whip for, 196, 283
    - power of, 288–89
    - scale skewing from, 291
    - track matte, 195–96, 290
    - using nulls for, 289–90
  - Pathfinder panel (Illustrator), 168
  - path operators (shape layers), 494
  - Path parameter (effects), 368
  - PDF files, 582–83, 656–57
  - Pen tool, 47, 159, 479, 483–84
  - Per-character 3D, 342–45
  - perspective, 216
  - Photoshop
    - hot keying to, 110, 582
    - importing files from, 580–82, 583
    - Layer Groups (Sets), 581
    - Layer Styles, 376–77
    - pasting paths from, 178, 179
    - supported features, 583
    - text integration with, 356
  - PIC file format, BC38B
  - pick whip tool, 196, 283, 556–57, 561–62, 564, BC35B
  - Pin Light mode, 146
  - Pixel Aspect Ratio Correction switch, 620
  - Pixel Aspect Ratio popups, 618
  - pixel aspect ratios
    - 3D integration, 607
    - interpreting, 587
    - nonsquare issues, 617–18
  - Pixel Motion, 450, 452
  - pixels per inch (ppi), 9, 241
  - PNG files, 590
  - Point of Interest parameter, 245–47
  - Point lights, 263
  - Position dialog, 241
  - Position graphs, 79–81
  - Position keyframes, 43, 79, 93
  - Position paths. *See* motion paths
  - Position property
    - animating, 44–45, 79
    - camera, 245–47
    - pasting to effect point, 366–67
  - Post-Render Actions, 654, 655, 662
  - ppi (pixels per inch), 9, 241
  - precomposing. *See also* precomps
    - Collapse Transformations, 318–19
    - explained, 308–13
    - grouping, 200
    - Set Matte effect, 194
    - track mattes, 200–202
  - precomps. *See also* precomposing
    - compound effects and, 385
    - defined, 294
    - prerendering, 304
  - Preferences
    - Audio Hardware, 670
    - Audio Output Mapping, 670
    - Auto-Save, 670
    - basics of, 664
    - Display, 666–67
    - General, 664–65
    - Grids & Guides, 668
    - Import, 667
    - Label Colors, 668
    - Label Defaults, 668
    - Memory & Cache, 668–69
    - Multiprocessing, 670
    - Output, 667–68
    - Previews, 666
    - restoring default, 664
    - text-based Preferences file, 671
    - User Interface Colors, 11, 669
  - Premiere Pro, integrating with, 124, 594–95, 596
  - premultiplied alpha. *See* alpha channels
  - prerendering, 658–59
  - Preserve Clipboard Data For Other Applications preference, 665
  - Preserve Constant Vertex Count when Editing Masks preference, 665
  - Preserve Edges option, 587, 614
  - Preserve Frame Rate comp setting
    - explained, 302
    - when masking, 165
    - with Numbers effect, 302
  - Preserve Resolution comp setting, 302
  - Preserve Underlying Transparency, 211–13
  - Prevent DLL Address Space Fragmentation preference, 669
  - previewing
    - 3D render, 223
    - audio only, 40–41, 547
    - Fast Previews, 34–35
    - Favor Active Camera option, 40

previewing (*continued*)  
  interactive, 34–37  
  OpenGL, 35–37, 228  
  preferences, 666  
  RAM, 37–39  
  Region of Interest, 40  
  Video Previews, 41, 626–27  
  Wireframe, 35  
Previews Favor Active Camera, 40  
Pro Import AE (Automatic Duck), 124, 595  
Project Flowchart View, 6, 299  
Project panel  
  disabling thumbnails in, 666  
  introduced, 6, 14  
projects  
  backing up, 649  
  collecting files, 649–50  
  importing, 3, 584  
  merging, for rendering, 654  
  missing effects in, 364  
  missing footage in, 2, 631  
  opening old, 584  
  streamlining, 648–49  
  structure of, 3  
Project Settings, 30, 405, 411, 412  
Project Working Space, 404, 405  
Proportional Grid preference, 668  
proxies  
  applying, 660  
  behavior of, 661  
  comp, 659–63  
  Collapse Transformations and, 662  
  Collect Files and, 654  
  defined, 659  
  examples illustrating, 661–63  
  footage, 659, 663  
  rendering with, 654, 663  
Proxy switch, 660  
PSD files, 593  
pulldown, 165, 586–87, 615–16, 635  
puppeting  
  basics of, 532  
  keyframing, 534–35  
  mesh issues, 533, 539, 540  
  motion sketching, 535  
  Overlap tool, 536–37  
  Puppet Pins, 532–33, 534  
  Starch tool, 538  
  text deformation, 540–41  
Puppet Record Options, 535

## Q

Quality (Best/Draft)  
  antialiasing and, 316  
  in Collapse Transformations, 321  
  defined, 25  
  Render Settings, 632  
  setting for multiple layers, 25  
  subpixel positioning, 67  
  switch, 113, 321  
quantization distortion (audio), 544  
Quick Paint mode, 526  
QuickTime  
  alpha channel creation, 184  
  gamma, 411  
  settings (rendering), 639

## R

“rack focus” effects, 244  
Raining Characters In preset, 399  
RAM Previews, 37–39, 656  
randomization, 401–3, BC35B  
realtime updating, toggling, 34, 228  
Rectangle mask tool, 153  
recursive switches, 323, 665  
Red Giant Software. *See Third-Party sidebar*  
Reduce Project, 648–49  
reflections, 53, 602  
Region of Interest, 40, 228, 643  
Remove Unused Footage, 648  
rendering. *See also* network rendering;  
  render order; Render Queue settings  
  3:2 pulldown, 635  
  advanced, 648–57  
  basics of, 3, 628–30  
  compound effects and, 381  
  Comp panel, disable update, 629, 634  
  disabling, 28  
  disk overflow, 667  
  fields, 129, 635, 642  
  with Frame Blending, 452  
  merging projects for, 654  
  multipass, 609, 610  
  multiprocessor, 650, 670  
  Output Preferences, 637  
  path for rendered file, 640  
  premultiplied alpha channel, 642  
  progress indicator, 667  
  with proxies, 663  
  re-, 644  
  settings for, 632–37  
  stopping, 629, 645

rendering (*continued*)  
  straight alpha channel, 642  
  time span, 636  
  troubleshooting, 66–67  
render log, 645  
render order  
  2D, 230  
  3D, 230–31  
  changing, 233, 304–7, 312–13  
  with Collapse Transformations, 318–19  
  with nesting, 304–7  
  normal, 316, 318  
Render Queue settings. *See also* rendering  
  3:2 pulldown options, 635  
  alpha channel options, 642  
  audio output, 643–44  
  changes after queuing, 630  
  channels, 641  
  color channels, 642  
  compositions, adding, 644  
  Crop options, 643  
  Depth options, 641  
  destination folder, changing for  
    multiple items, 630  
  directory path for render, 640  
  duplicating items, 644  
  Effects options, 634  
  embed project, 639  
  files missing, 631  
  format, 638, 640  
  Frame Blending options, 634–35  
  frame rates, 629, 636  
  logs, 645  
  Motion Blur options, 129, 636  
  movies, 630  
  multiple compositions, 629  
  names and file paths, 631  
  Output Module Settings, 638–44  
  post-render action, 639  
  progress of render, 645  
  proxy use, 633  
  Quality options, 632  
  QuickTime dialog, 639  
  RAM Previews, 631  
  Render Settings, 632–37  
  Resolution options, 633  
  saving, 638  
  Skip Existing Files, 637  
  Starting #, 641  
  Status column, 644  
  stills, 630–31  
  Stretch options, 642–43

Render Queue settings (*continued*)  
  templates, 646–47  
  Use Storage Overflow, 637  
  Video Output option, 639  
Render Settings dialog, 651, 663  
resampling, 67  
Reset Mask, 153  
resolution  
  Collapse Transformations, 316–17  
  defined, 24  
  magnification and, 24  
  maintaining original, 316–17  
  Render Settings option, 633  
  setting, 24  
resources list, 690  
Reveal in Timeline, 365–66  
Reverse Layer, 436–37  
reverse play. *See* Time Remapping  
RE:Vision Effects. *See* *Third-Party sidebar*  
RGB color space, 625  
Ripple Insert Edit, 124–25  
RLA format, 602, BC38B  
rotation  
  3D, 56–57, 217–18, 224, 248, 287  
  animating, 55  
  child-parent, 286–87  
  editing, 54–55, 224  
  Euler, 56, 218  
  masks, 154–55, 164  
  orientation, versus, 217–18, 224  
  Quaternion, 218  
  removal (*see* Motion Stabilization)  
  rules, 54  
  text, 339, 343–44  
  tracking, 469–70  
Rotation tool, 57, 248  
RotoBezier masks, 160–61, 173, 174  
RotoBezier paths for shape layers, 483  
rotoscoping, 173–74, 510.  
  *See also* masking (masks)  
RPF format, 602, BC38B  
rulers, 29

## S

safe areas, 28, 622–23, 668  
Safe Margins preference, 668  
sample rate, 543–44  
Saturation mode, 148  
scale  
  3D layer, 231, 287  
  animating, 52–53

scale (*continued*)  
  editing, 51–52  
  resetting, 51  
  tracking, 469–70  
Scale Bounce behavior, 400  
Screen mode, 142, 205  
scripting, 665, BC35C  
scrolling with mouse wheel, 22  
scrubbing tips, 269  
Segment Movie Files At preference, 667  
Segment Sequences At preference, 667  
Selection tool, 22, 155, 159  
Sequence Footage preference, 667  
Sequence Layers, 120–21, 447  
sequences  
  converting, to movies, 654–55  
  importing, 579  
Set First Vertex, 495  
Shadow Darkness parameter, 271  
Shadow Diffusion parameter, 271–72, 273  
shadow maps, 275  
shadows  
  3D, 270–79, 610–11  
  color default, 274  
  collapse transformations and, 325–26  
  continuous rasterization and, 329  
  Drop Shadow effect, 297, BC22B  
  enabling, 271  
  Layer Effect, 376  
  OpenGL and, 36  
  nested comps and, 325–26  
  rendered quality, 271  
  rendering engines and, 275  
  softness, 273  
shape effects, 494–99  
Shape Fill Color, 479  
shapes (shape layers)  
  Animation Presets, 481  
  blending modes, 485  
  Brainstorm and, 499  
  centering, 481  
  creating freeform, 483–84  
  Create Outlines, 492  
  creating parametric, 480–82  
  dashed lines, 487  
  editing, 483–84  
  fills, 479, 485  
  gradients, 485–86  
  grids, 498  
  grouping, 488, 490  
  Illustrator paths into, 493  
  masks versus, 478, 492

shapes (*continued*)  
  Merge Paths, 490–91  
  multiple, 481, 488–91  
  Offset Paths, 494  
  open path, 484  
  Pen tool and, 483–84  
  Pucker & Bloat, 494  
  Repeater, 494, 496–99  
  Round Corners, 494  
  spiraling, 497  
  strokes, 479, 485, 487  
  transforming, 480–81, 484  
  Trim Paths, 494  
  Twist, 495, 498  
  Wiggle Paths, 495  
  Zig Zag, 495  
Shape Stroke Color, 479  
Shape tools, 479  
Shininess parameter, 269  
shortcut keys. *See* keyboard shortcuts  
Show Reference Graph, 75  
Show Rendering in Progress in Info Panel  
  preference, 661, 667  
Show Tool Tips preference, 664  
Shutter Angle, 128  
Shutter Phase, 128–29  
Shy switch, 112  
Silhouette Alpha mode, 144, 210  
Silhouette FX. *See* *Third-Party sidebar*  
Silhouette Luma mode, 144, 210  
silhouettes, 210, 323  
Skip Existing Files option, 637  
sliders, 361  
slip editing, 118–19  
slowing down. *See* Time Stretch;  
  Time Remapping  
Smart Mask Interpolation keyframe  
  assistant, 180–83  
Smart Quotes, 332  
The Smoother keyframe assistant, 94  
SMPTE timecode, 30, BC35B  
snapshots, 108–9, 413  
Softimage|XSI, 599, 602, BC38B  
Soft Light mode, 144  
soft mattes, 192  
solids  
  applying effects to, 374–75  
  black, 374–75  
  creating, 23  
  Solid Footage Settings dialog, 23  
soloing layers, 104–5  
Solo switch, 104, 112

sound. *See* audio  
Source Text, 333  
spatial interpolation  
    default to linear preference, 665  
    defined, 43  
speaker icon, 112  
Specular parameter, 268  
speed. *See* motion paths; Velocity Graphs  
speeding up. *See* Time Stretch;  
    Time Remapping  
Spot lights, 258–60, 262–63  
square pixels (working in), 620.  
    *See also* non-square pixels  
sRGB color profile, 407, BC22B  
stained glass effect, 274  
Starch tool, 538  
Starting #, 641  
Star tool, 480  
Start Timecode, Comp Settings, 31  
Stencil Alpha mode, 144, 209  
Stencil Luma mode, 144, 208  
stencils  
    3D, 235  
    Alpha, 209–10  
    Alpha Add mode with, 213  
    background, issues, 210–12  
    Collapse Transformations, 323  
    creating, 208–10  
    disabling, 208  
    Preserve Underlying Transparency  
        option, 211–13  
    silhouettes, 210, 323  
    track mattes versus, 212  
step-time technique, 449–50  
Still Footage preference, 667  
still images. *See also* footage  
    color management, 407  
    duration of, 111  
    importing, 578  
    panning, 62–63  
    rendering, 630–31  
    scaling up, 577, 578  
    sequencing, 121  
straight alpha. *See* alpha channels  
stretching  
    layers, 52  
    in Render Queue, 642–43  
    time, 434–35  
strokes  
    animating, 508–12, 524–26  
    dashed lines, 487, BC22B  
    effect, 368, BC22B

strokes (*continued*)  
    for shape layers, 479, 485, 487  
    for text, 331–332, 349  
    width, 331, 479  
subpixel positioning, 67, 458  
Subtract mask mode, 167  
SWF files  
    exporting, 592, 646  
    exporting text to, 356  
    importing, 591–92  
switches. *See also individual switches*  
    overview of, 112–13  
    recursive, 323, 665  
    tool tips for, 111  
Switches Affect Nested Comps preference,  
    323, 665  
Switches/Modes columns, 112–13, 134, 136  
Synchronize Time of All Related Items  
    preference, 665  
Synthetic Aperture. *See Third-Party sidebar*

## T

tablets  
    painting with, 511, 522  
    puppet animations with, 541  
tabs, in user interface, 11  
televisions. *See also* widescreen  
    image aspect ratios, 616  
    safe areas, 625  
    video monitors versus, 627  
templates  
    File Name, for renders, 631  
    Render Settings and Output Modules,  
        646–47  
    video, 583  
temporal interpolation, 43  
text. *See also* Text Animators  
    animating as particles, BC22C  
    animation presets for, 398–99  
    cascading, 340–41  
    centered, 336  
    color, 332  
    coloring Illustrator, 384  
    creating, 331–33  
    cycling words, 333  
    decoding effect, 353  
    editing attributes, 332  
    editing keyboard shortcuts, 332  
    exporting to SWF format, 356  
    expressions, BC35B  
    fonts, 332  
text (*continued*)  
    hiding selection, 355  
    horizontal/vertical, 336  
    kerning, 332  
    paragraph, 334  
    paragraph/point conversion, 334  
    on a path, 335  
    Per-character 3D, 342–45  
    Photoshop integration, 356  
    point, 334  
    quotation marks in, 332  
    random character order, 338  
    rotation, 339, 343–44  
    size, 332  
    skew, 339  
    stroke attribute, 332  
    tracking, 332, 339  
    typing on, 337, 343  
Text Animators  
    adding new, 336  
    adding properties to, 338  
    Amount parameter, 348  
    Anchor Point Grouping in, 349  
    Character Offset property, 339  
    Character Value property, 339  
    copying parameters between, 355  
    copying selectors between, 355  
    defined, 336  
    Expression Selector, 357, BC35B  
    Fill Opacity property, 339  
    Fill & Stroke options, 349  
    Grouping Alignment, 349  
    Inter-Character Blending, 349  
    Line Spacing property, 339  
    Mode parameter, 351  
    multiple, 354–56  
    Offset parameter, 337  
    parameter restriction, 355  
    parameter syncing, 355  
    Position property, 336  
    randomizing property values in,  
        350–52  
    Random Seed parameter, 338  
    Range Selector, 336–337, 348, 351–353  
    renaming, 355  
    Selector syncing, 355  
    shapes for, 347–48  
    “slamdown” effect, 352  
    Spatial Phase, 352  
    Temporal Phase, 352  
    units for, 348  
    Wiggly Selector, 350–52

Texturize effect  
basics of, 382–83  
by nesting, 383  
by precomposing, 384–85

thumbnails, in Project panel, 666

time  
centering display, 27  
current, 26  
display modes, 30–31  
Go To Time dialog, 26  
in/out points and, 114–16  
posterize, 302, BC35B  
navigating in, 26  
timecode generation, BC35B  
zooming in Timeline panel, 27

timecode, 614, BC35B

Timecode Base popup, 30

Time Controls panel, 26

Timeline panel  
adjusting parameter values in, 89  
basics of, 3, 17  
columns in, 17  
layer, bar colors in, 111  
markers in, 106–7  
switches in, 112–13  
trimming layers in, 116

Time Remapping, 438–50, 658

Time-Reverse Keyframes, 99

Time Stretch, 434–35

titles  
animating, 290, 335–355  
revealing, 521, 529  
safe areas, 28, 622, 668

Toggle Mask and Shape Visibility button, 151, 482

Toolfarm.com, 379

Tools panel, 5

Tool Tips  
enabling, 111, 664  
in the Graph Editor, 73

Track Camera tools, 221

Tracker Controls window, 459–60, 467, 469

tracking (motion). *See* Motion Tracking

tracking (text), 332, 339

track mattes  
in 3D renders, 602, BC38B  
in 3D space, 234–35  
accessing, 184  
Adjustment Layers and, 197, 203  
Alpha Mattes, 186–88  
animating, 195–96  
background, adding, 188–89

track mattes (*continued*)  
choking, 205  
color channels, 192–93  
contrast, increasing, 191  
creating, 184–88  
defined, 184  
details, 187  
effects with, 184–90, 197, 203  
fading, 205–6  
fringe problem, 204–5  
hierarchies, 198–203  
inverted, 189–90  
Luma Matte, 184–86, 188  
luma versus alpha, 188  
Matte Choker effect, 431  
Multiply mode versus, 139  
nesting, 198–99  
precomposing, 200–202  
Set Matte effect, 194  
Simple Choker effect, 204, 431  
specifying channel, 192–93  
stencils versus, 212  
straight alpha, 204  
transitions, 206–7

Track Options, 457

transfer modes. *See* blending modes

transformations  
adjustment layer, 373  
basics of, 43, 50, 51, 54, 58  
concatenation of, 319  
keyboard shortcuts, 64  
parenting, 195–97

transparency. *See* alpha channels; opacity

Trapcode. *See* Third-Party sidebar

trimming layers, 115–18, 121

troubleshooting  
compound effects, 388  
rendering, 66–67  
render order, 307

“T” switch, 211, 212

Type tool. *See also* text; Text Animators  
horizontal/vertical, 336  
introduced, 330–33  
keyboard shortcut for, 330

## U

Ultimatte, 422, 423. *See also* Third-Party sidebar

underscan, 622

undo, 109, 664

unit conversions, 49, 241, BC35B

Use Default File Name and Folder preference, 668

Use Gradients display preference, 669

Use Label Color for Layer Handles and Paths preference, 669

User Interface Brightness preference, 669

User Interface Colors, 11, 669

Use Storage Overflow, 637

Use System Color Picker preference, 665

Use System Shortcut Keys preference, 665

## V

Value Graphs, 70–72

Vanishing Point Exchange, 254–55

variables, in expressions, 567–69

Vector Paint  
basics of, 522–24  
Composite Paint modes, 527  
onion skinning, 512, 531  
Paint tools versus, 500, 522  
Quick Paint mode, 526  
stroke animation, 524–26  
stroke transformation, 530  
user interface, 523  
Wiggle Control, 528

Velocity Graphs, 74–75

vertex count preservation preference, 665

Vertical Type tool, 336

video. *See also* footage  
anamorphic widescreen, 618–20  
color advice, 421, 625  
color management, 407–8  
composite dot crawl, 420, 626  
editing, 114–25  
field flicker, 613  
frames, 612  
high-definition, 614, 616  
interlaced, 612–13  
previewing, 626–27  
safe areas, 28, 622–23, 668  
templates, 583

video output cards  
previewing through, 669

video monitors, 625, 627

Video Preview, 41, 409, 669

Video switch, 19

View Axis Mode, 225

View Options dialog, 620

Vivid Light mode, 146

volumetric lights, 274

VPE files, 254–55

---

## W

- Wacom tablet, 511, 541
- warp effects, 386–88, BC22B
- Watch Folder, 650–52, 653
- waveforms
  - audio, 544
  - effects (visual), BC22B
- web integration, 590–92
- widescreen, 618–20
- Wiggle behaviors, 400
- Wiggle Control (Vector Paint), 528
- wiggle expression, 570–71, BC35B
- Wiggler keyframe assistant, 96–98
- Wiggly Selector, 350–52
- windows. *See* panels
- Windows Media format options, 640
- Wireframe preview, 35
- wobble removal. *See* Motion Stabilization
- work areas
  - defined, 27
  - Extract Work Area, 121
  - Lift Work Area, 121
  - rendering, 636
  - setting, 27–28
  - shortcuts for, 28, 121
  - Trim Comp to Work Area, 121
  - trim work area to selected layers, 121
- workspaces, 4, 13, 222–23
- World Axis Mode, 225
- Write On mode (Paint), 509

## Y

- YUV color space, 625, BC22B

## Z

- Zaxwerks. *See* *Third-Party sidebar*
- Z depth, 215–17, 231
- zooming
  - in 3D Views, 221
  - in Comp panel, 22
  - Exponential Scale keyframe assistant and, 329
  - with resolution change, 666
  - to see all layers, 221, 245
  - in Timeline panel, 27
- Zoom parameter (Camera), 241–42
- ZPIC file format, BC38B
- Z Position parameter, 241–42
- Z Scale, 218